

**ELEMENTS OF BUILDING CONSTRUCTIONS
FIRE RESISTANCE TEST METHOD**

DOORS AND GATES

30247.2-97

(. 17.06.2002 N 59)

39

5280; 91.080

1. , - ()
()

2. () 23 1997 .
:

3. " 3008-76 "

4. 3974-83.

5. 1 1997 .
21.02.1997 . N 18-10.

),

2.

12.1.004-91
12.1.019-79
30247.0-94
30247.1-94

()

3.

4.

5.

5.1.

- (-) - 30247.0;
- 30247.1;

5.1.1.

5.1.2. (),

6.

6.1.

30247.0.

7.

7.1.

7.2.

2500 2500

(, .)

7.3.

(

7.4.

10

7.5.

30247.0.

7.6.

-

-

-

(; ())

7.7.

7.8. (, , ,). ;
 ;
 ;
 ;
 ;
 (, , ,).

8.

8.1. - 30247.0.
 8.2.



7.8.

5.1.2.

8.3.


8.4. ()

1 2:



1. ()

)



2. ()

) (3, 16 5, 6
);
) (1, 2, 4, 5, 14, 15, 17, 18
 1 - 4, 7 - 10); (8 - 11, 21
 - 24 15 - 22); (6, 7, 19, 20 11 - 14
) , ; (12, 13, 25, 26 23 - 25
) .
 8.5. ,
 . 8.6.
 30247.0.
 8.7. :
 - 30247.0;
 - 30247.1;
 - 8.4;
 - , () ,
 - (, , ,
 .);
 - (, , ,)
 ,)
 ,)

8.8.

9.

9.1.

9.1.1.

() -

30247.1

9.1.2.

I -
140 °

220 °

180 °

10.

10.1.

9.1.1.

10.2.

10.2.1

140 °

8.4

10.2.2.

180 °

8.4 , , , .

10.2.3.

220 °

8.4 .

10.3.

25%

10.4.

7.1

10.5.

(+10),
-30%

50

- 100

7.2.

11.

11.1.

30247.0.

12. ()

12.1.

()

30247.0.

13.

13.1.

12.1.004;

12.1.019;

30247.0.

()