


.1

1-

2



.2

, (),

	l	b	h	
7.15.45	700	150	45	12
8.15.45	850			14
10.15.45	1000			17
13.15.45	1300			22
14.15.45	1450			24
16.15.45	1600	150		27
19.15.45	1900			32
22.15.45	2200			37
25.15.45	2500			42
28.15.45	2800			47
7.20.45	700	200		16
8.20.45	850			19
10.20.45	1000			23
13.20.45	1300			29
14.20.45	1450			33
16.20.45	1600			36
19.20.45	1900			43
22.20.45	2200			50
25.20.45	2500			56
28.20.45	2800			63
7.25.45	700	250		20
8.25.45	850			24
10.25.45	1000			28
13.25.45	1300			37
14.25.45	1450			41
16.25.45	1600			45
19.25.45	1900			53
22.25.45	2200			62
25.25.45	2500			70
28.25.45	2800			79
7.35.45	700	350		28
8.35.45	850			33
10.35.45	1000			39
13.35.45	1300			51
14.35.45	1450			57
16.35.45	1600			63
19.35.45	1900			75
22.35.45	2200			87
25.35.45	2500			98
28.35.45	2800			110
7.45.45	700	450		35
8.45.45	850			43
10.45.45	1000			51
13.45.45	1300			66
14.45.45	1450			73
16.45.45	1600			81
19.45.45	1900			96
22.45.45	2200			113
25.45.45	2500			127
28.45.45	2800			142

, (),

	l	b	h	
3.10.35	300	100	35	3
5.10.35	500			4

1 0,5 0,5 0,5 2 30

- 2 1 1 1 5 50

, - 7 15 5 5 10 100

2.7.3.

2.7.4. 1 15 1

3.

3.1.

3.2.

3.3.

.4

.4.

4

23616-79

25 - 5 1 -

26 - 90 - 5 2 2

91 - 280 8 2 2

281 - 500 13 3 4

3.3.1.

3.3.2.

3.3.3.

.4

.4

3.3.4.

3.4.

3.5.

21217-75

18105-72

